

September 3, 2013

Tennessee Department of Environment and Conservation Division of Water Resources Erin O'Brien L&C Annex, 6th Floor 401 Church Street Nashville, Tennessee 37243

Re: TN0080845 Permit Renewal

Dear Ms. O'Brien:

Per our conversation, we are resubmitting our renewal application for our NPDES stormwater construction permit #TN0080845. We have enclosed Forms 1 and 2F for all outfalls we wish to remain open. In addition, we are submitting a summary of the Part VII A data for each outfall we wish to remain open. Because outfall SW14 has not yet been constructed and nothing has changed since the original permit or the modification, we are including the same data as previously submitted to complete the data gaps where analytical data is not available. Finally, we are currently not actively under construction. Should construction activities begin again, we will update our SWPPP and make it available upon request.

Should you have any questions regarding this submittal, please contact me at (931) 614-1991.

Sincerely,

Jason Mennino

Enclosure(s):

Form 1 Forms 2F

B. COUNTY NAME

C. CITY OR TOWN

T

WAY

1000 SOLAR

CLARKSVILLE

MONTGOMERY

5 1

F. COUNTY CODE (if known)

E. ZIP CODE

37040

D. STATE

TN

CONTINUED FROM THE FRONT	
VII. SIC CODES (4-digit, in order of priority) A. FIRST	B. SECOND
C (specify) PRIMARY NONFERROUS METALS, NEC MANUFACTURE OF	c (specify)
7 3339 POLYCRYSTALLINE SILICON	15 16 - 19
C. THIRD	D. FOURTH
(specify)	(specify)
15 16 - 19	15 16 - 19
VIII. OPERATOR INFORMATION	
A. NAME	B.Is the name listed in Item VIII-A also the owner?
8 HEMLOCK SEMICONDUCTOR, L.L.C.	☑ YES □ NO
15 16	55 66
C. STATUS OF OPERATOR (Enter the appropriate letter into the	e answer box: if "Other," specify.) D. PHONE (area code & no.) specify) e
S = STATE M = PUBLIC (other than federal or state)	A (931) 614-1991
P = PRIVATE O = OTHER (specify)	15 6 - 16 19 - 21 22 - 26
E. STREET OR P.O. BOX	
26	55
F. CITY OR TOWN	G. STATE H. ZIP CODE IX. INDIAN LAND I I I I I I I I I I I I I I I I I I I
B CLARKSVILLE	TN 37040 □ YES ☑ NO
15 16	40 41 42 47 - 51 52
X. EXISTING ENVIRONMENTAL PERMITS	
A. NPDES (Discharges to Surface Water) D. PSD (Air E	missions from Proposed Sources)
9 N TN0080845 9 P	
15 16 17 18 30 15 16 17 18	30
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)
9 U MTG0000287 9 9	(specify)
15 16 17 18 30 15 18 17 18	30
C. RCRA (Hazardous Wastes)	E. OTHER (specify)
9 R TNR000030437 9	(specify)
15 16 17 18 30 15 16 17 18	90
XI. MAP	
Attach to this application a topographic map of the area extending to at least on	e mile beyond property boundaries. The map must show the outline of the facility, the
injects fluids underground. Include all springs, rivers, and other surface water bodie	of its hazardous waste treatment, storage, or disposal facilities, and each well where it is in the map area. See instructions for precise requirements.
XII. NATURE OF BUSINESS (provide a brief description)	
THIS IS AN INDUSTRIAL FACILITY THAT PRODUCES/MANUFACTURE	RES POLYCRYSTALLINE SILICON FROM RAW MATERIALS.
POLYCRYSTALLINE SILICON IS USED WORLD WIDE IN SOLAR EN	
WILL OF DIFFICATION (see instructions)	
XIII. CERTIFICATION (see instructions)	
	the information submitted in this application and all attachments and that, based on my tained in the application, I believe that the information is true, accurate, and complete. I
am aware that there are significant penalties for submitting false information, include	
A. NAME & OFFICIAL TITLE (type or print) B. SIGNATUR	C. DATE SIGNED
JASON M. MENNINO, HSL ENVIRONMENTAL SPECIALIST	1 4 9/3/2013
HOL ENVIRONMENTAL SPECIALIST	1111013
COMMENTS FOR OFFICIAL USE ONLY	
c	

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92



U.S. Environmental Protection Agency Washington, DC 20460

Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

Paperwork Reduction Act Notice

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information of information for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

I. Outfall Location

For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

A. Outfall Number (list)	E	B. Latitude			. Longitude		D. Receiving Water (name)		
SW1 (P-386)	36.00	37.00	5.00	-87.00	15.00	27.00	SPRING CREEK		
SW4 (P-286)	36.00	36.00	55.00	-87.00	16.00	0.00	SPRING CREEK		
IMP1 (P-486)	36.00	38.00	21.00	-87.00	15.00	6.00	SPRING CREEK		
SW13 (P-586)	36.00	37.00	57.00	-87.00	16.00	12.00	UNNAMED TRIBUTARY TO SPRING CREEK		
SWMB (P-186)	36.00	37.00	13.00	-87.00	16.00	31.00	UNNAMED TRIBUTARY TO SPRING CREEK		
SW14	36.00	37.00	39.17	-87.00	16.00	34.05	UNNAMED TRIBUTARY TO SPRING CREEK		

II. Improvements

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

Identification of Conditions, Agreements, Etc.	2	2. Affected Outfalls		4. Final Compliance Date		
	number	source of discharge	3. Brief Description of Project	a. req.	b. proj	
/A						

B: You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility.

11/	Marratica	Description	of Pollutant	Courses
IIV.	Narrative	Description	or Pollutant	Sources

A. For each cutfall, provide an estimate of the area (include units) of imperious surfaces (including paved areas and building roofs) drained to the outfall, and an estimate of the total surface area drained by the outfall.

Outfali	Area of Impervious Surface	Total Area Drained	Outfall	Area of Impervious Surface	Total Area Drained
Number	(provide units)	(provide units)	Number	(provide units)	(provide units)
SW1 SW4 SWMB IMP1 SW13	0 AC 0 AC 273 AC 0 AC 156 AC	49.38 AC 19.62 AC 420.0 AC 200 AC 166 AC	SW 014	B3 AC	134 AC

B. Provide a narrative description of significant materials that are currently or in the past three years have been treated, stored or disposed in a manner to allow exposure to storm water; method of treatment, storage, or disposal; past and present materials management practices employed to minimize contact by these materials with storm water runoff; materials loading and access areas, and the location, manner, and frequency in which pesticides, herbicides, soil conditioners, and fertilizers are applied.

THE SITE HAS BEEN UNDER CONSTRUCTION FOR THE PAST 5 YEARS. THIS IS A RENEWAL OF THE CURRENT STORMWATER CONSTRUCTION PERMIT.

C. For each outfall, provide the location and a description of existing structural and nonstructural control measures to reduce pollutants in storm water runoff; and a description of the treatment the storm water receives, including the schedule and type of maintenance for control and treatment measures and the ultimate disposal of any solid or fluid wastes other than by discharge.

Outfall Number	Treatment	List Codes from Table 2F-1
SWMB, IMP1,	STORM WATER ENTERS SEDIMENT BASINS DESIGNED FOR 140YR STORM VIA GRASSED/RIPRAP CHANNELS. THE FINAL STORM BASIN INCLUDES A FOREBAY AND VEGATATIVE SHELF AROUND THE PERIMETER OF THE BASIN. WATER DISCHARGES AT A CONTROLLED RATE OVER A PERIOD OF 3 DAYS. ALL BASINS HAVE CONCRETE EMERGENCY SPILLWAYS AND OUTLET PROTECTION. INSPECTIONS AND MAINTENANCE IS PERFORMED AS REQUIRED. DISPOSAL OF ACCUMULATED SEDIMENT WILL BE LAND APPLICATION ON APPLICANTS PROPERTY.	1-F, 1-U,3-G,4-A, 5-P

V. Nonstormwater Discharges

A. I certify under penalty of law hat the outfall(s) covered by this application have been tested or evaluated for the presence of nonstormwater discharges, and that all nonstormwater discharged from these outfall(s) are identified in either an accompanying Form 2C or From 2E application for the outfall.

Name and Official Title (type or print)

Patrick Finney

Signature

Patrick Finney

Date Signed

9/3/2013

B. Provide a description of the method used, the date of any testing, and the onsite drainage points that were directly observed during a test.

N/A

VI. Significant Leaks or Spills

Provide existing information regarding the history of significant leaks or spills of toxic or hazardous pollutants at the facility in the last three years, including the approximate date and location of the spill or leak, and the type and amount of material released.

N/A

Continued from Page 2

EPA ID Number (copy from Item 1 of Form 1) TNR000030437

VII. Discharge Information								
	proceeding. Complete one set of tables for each outf are included on separate sheets numbers VII-1 and		pace provided.					
	y analysis – is any toxic pollutant listed in table 2F ntermediate or final product or byproduct?	-2, 2F-3, or 2F-4, a substance or a c	omponent of a substance which you					
Yes (list all such pollutants below) ✓ No (go to Section IX)								
VIII. Biological Toxicity Testing	ı Data							
	to believe that any biological test for acute or chronic		r discharges or on a receiving water in					
Yes (list all such pollutants	s below)	✓ No (go to Section IX)						
✓ Yes (list the name, addres	em VII performed by a contract laboratory or consultings, and telephone number of, and pollutants	ng firm?						
	ch laboratory or firm below)	C Asso Code & Bloom No	D. Pollutants Analyzed					
A. Name	B. Address	C. Area Code & Phone No.						
Environmental Science Corp.	12065 Lebanon Road Mount Juliet, TN 37122	800-767-5859	TSS, Total Nitrogen, Phosphorus, Turbidity					
X. Certification		Mile de altra de la companya della companya della companya de la companya della c						
I certify under penalty of law that this of that qualified personnel properly gather directly responsible for gathering the in	tocument and all attachments were prepared under and evaluate the information submitted. Based on r information, the information submitted is, to the best tting false information, including the possibility of fine	ny inquiry of the person or persons who of my knowledge and belief, true, acc	manage the system or those persons curate, and complete. I am aware that					
A. Name & Official Title (Type Or Print)		B. Area Code and Phone No.						
JASON M. MENNINO ENVIR	RONMENTAL SPECIALIST	(931) 614-1991						
C. Signature		D. Date Signed						



EPA ID Number (copy from Item 1 of Form 1) TNR000030437 Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

VII. Discharge information (Continued from page 3 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		ium Values ude units)		erage Values oclude units)	Number	
Pollutant and CAS Number (if available)	and Taken During Storm Number First 20 Flow-Weighted First 20 Flow-Weighted Event	of Storm Events Sampled	Sources of Pollutants			
Oil and Grease	see attachment	N/A				
Biological Oxygen Demand (BOD5)	see attachment					
Chemical Oxygen Demand (COD)	see attachment	Market .				
Total Suspended Solids (TSS)	160		36		9.00	Construction & agricultural
Total Nitrogen	2.4		1.53		10.00	Agriculture
Total Phosphorus	0.24		0.15		6.00	Agriculture
pH	Minimum	Maximum	Minimum	Maximum		

,	Maximu	ım Values de units)	Aver	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
N/A						
		3				
						10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -



, , ,		e one table for each ou im Values		rage Values	Γ			
	(includ	de units)	(in	clude units)	N	umber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	E	of Storm Events ampled	Sou	rces of Poliutants
N/A								
				200				
Security Security							L FEMAL SER TRUTTE	
		100						
					Š.,			
					-			
			-		-			
					+			
			-		-			
			-		-			
100					+-			
					+			
			1	V				
Part D - Pr	ovide data for the sto	orm event(s) which res	sulted in the maxim	um values for the flow we	eighted	composite		
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total ra during stor (in incl	infall m event	4. Number of hours between beginning of storm mea and end of previou measurable rain eve	sured	ra (gallo	5. Iflow rate during tin event ins/minute or ecify units)	6. Total flow from rain event (gallons or specify units)
N/A								
			gy 15: 16:					
		ethod of flow measure						
Acreage is	converted to sq	quare feet then m	ultiplied by 1	the daily rainfall	in fee	et. Cubi	c feet then c	onverted to MGD.

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ide units)		erage Values aclude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	see attachment	N/A				
Biological Oxygen Demand (BOD5)	see attachment					
Chemical Oxygen Demand (COD)	see attachment					
Total Suspended Solids (TSS)	41		30		7.00	Construction & agricultural
Total Nitrogen	2.0		1.31		B.00	Agriculture
Total Phosphorus	0.22		0.16		7.00	Agriculture
рН	Minimum	Maximum	Minimum	Maximum		

	Maximu (inclu	um Values de units)	Avera (inc)	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
N/A						
						-
					1	
					1	
					-	
			-			
V						
	6016					
						- Marie



Part C - Lis	t each pollutant show uirements. Complete	wn in Table 2F-2, 2F-3 e one table for each ou	and 2F-4 that yo	u know or have reason to	believe is pres	ent. See the instruct	ions for additional details and
	Maximu	ım Values	Ave	erage Values	None		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	de units) Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	clude units) Flow-Weighted Composite	Number of Storm Events Sampled	Sou	arces of Pollutants
N/A							
27 20							
					0 50		
						-	
						-	
						3	
Part D - Pro			n is a	um values for the flow wei			
Part D = Pri	ovide data for the sto	orm event(s) which rest	lited in the maxim	um values for the flow wei	gnted composi	e sample.	
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rain during storn (in inche	event	Number of hours between beginning of storm meas and end of previous measurable rain ever	ured (ga	um flow rate during rain event flons/minute or pecify units)	6. Total flow from rain event (gallons or specify units)
N/A							
Sec. 1997		ethod of flow measuren					
Acreage is	converted to sq	uare feet then mu	ltiplied by t	he daily rainfall i	n feet. Cu	bic feet then co	onverted to MGD.

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)		num Values ude units)		erage Values nclude units)	Number		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease	see attachment	N/A					
Biological Oxygen Demand (BOD5)	see attachment						
Chemical Oxygen Demand (COD)	see attachment						
Total Suspended Solids (TSS)	150		42		11.00	Construction & agricultural	
Total Nitrogen	3.7		1.35		11.00	Agriculture	
Total Phosphorus	1.2		0.55		6.00	Agriculture	
pH	Minimum	Maximum	Minimum	Maximum			

Maximum Values (include units)		Avera (incl	age Values ude units)	Number	
Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
		-			
		-			
		1			
		-			
		+			
		1			
				-	
	Grab Sample Taken During First 20	(include units) Grab Sample Taken During First 20 Flow-Weighted	Grab Sample Taken During First 20 Flow-Weighted Grab Sample Taken During First 20 Flow-Weighted First 20	(include units) (include units) Grab Sample Grab Sample Taken During	Grab Sample Grab Sample of Storm



Part C - List	t each pollutant show uirements. Complete	wn in Table 2F-2, 2F-3, e one table for each out	and 2F-4 that yo fall.	u know or have reason to	believe	is presen	t. See the instruct	ions for additional details and
	Maximu	um Values de units)	Ave	rage Values clude units)	Nu	ımber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	S:	of torm vents mpled	Sou	irces of Pollutants
N/A							5,87470	
					ī.		A_III	
D-+DD		(a.v. b.) b						
Part D - Pro	ovide data for the sto	orm event(s) which rest	lited in the maxim	um values for the flow wei	ignted c	omposite :	5.	
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rain during storn (in inchi	n event	Number of hours between beginning of storm meas and end of previous measurable rain ever	sured	ra (gallo)	flow rate during in event ns/minute or cify units)	6. Total flow from rain event (gallons or specify units)
N/A								
7. Provide a	description of the me	ethod of flow measuren	nent or estimate.					
Acreage is	converted to sq	uare feet then mu	ltiplied by t	he daily rainfall i	n feet	t. Cubi	c feet then co	onverted to MGD.

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)		um Values ide units)		erage Values nclude units)	Number		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease	see attachment	N/A					
Biological Oxygen Demand (BOD5)	see attachment						
Chemical Oxygen Demand (COD)	see attachment						
Total Suspended Solids (TSS)	1900		265		12.00	Construction & agricultural	
Total Nitrogen	4.2		1.83		12.00	Agriculture	
Total Phosphorus	0.60		0.26		5.00	Agriculture	
pH	Minimum	Maximum	Minimum	Maximum			

	ements.		1	COLUMN TO		
	(inclu	um Values de units)	Aver	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
N/A						
						1
					1	
					+	

			1 1		 	
			-			



Part C - List req	t each pollutant show uirements. Complete	wn in Table 2F-2, 2F-3 e one table for each ou	, and 2F-4 that your trail.	ou know or have reason to	believ	e is presen	t. See the instruct	ions for additional details and
		um Values de units)	Ave (ir	erage Values aclude units)	N	umber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	S E	of Storm Events ampled	Sou	rces of Pollutants
N/A								
					_			
					-			
					-			
								The second secon
			-		├			
			-					
Part D - Pro	ovide data for the sto	orm event(s) which res	ulted in the maxim	num values for the flow wei	ighted	composite :		
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rai during storr (in inch	infall m event	4. Number of hours between beginning of storm meass and end of previous measurable rain ever	sured	ra (gallo	flow rate during in event ns/minute or ecify units)	6. Total flow from rain event (gallons or specify units)
N/A	()************************************	,				71	ony anno,	(gamaria or epoch, annu-,
5,000,000								
7. Provide a	description of the me	ethod of flow measurer	ment or estimate.					-
			icitios am ballio son tire	the daily rainfall i	n fee	et. Cubi	c feet then co	onverted to MGD.

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)	100000000000000000000000000000000000000	um Values ide units)		erage Values nclude units)	Number	Sources of Pollutants	
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled		
Oil and Grease	see attachment	N/A					
Biological Oxygen Demand (BOD5)	see attachment						
Chemical Oxygen Demand (COD)	see attachment						
Total Suspended Solids (TSS)	1.5		1.5		1.00	Construction & agricultural	
Total Nitrogen	1.1		1.1		1.00	Agriculture	
Total Phosphorus	see attachment						
pH	Minimum	Maximum	Minimum	Maximum			

	ements.	Maximum Values		ane Values		
	(inclu	de units)	(inc	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
N/A		- ALC. 9				
					+	
					1	
					1	
						2483
		<u> </u>	-			



Part C - Lis	t each pollutant show uirements. Complete	wn in Table 2F-2, 2F-3, e one table for each out	, and 2F-4 that yo tfall.	ou know or have reason to	believe	is presen	t. See the instruct	tions for additional details and
	Maximu	um Values de units)	Ave	erage Values clude units)	Nun	mber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Sto Eve	of orm ents opled	Sou	urces of Poliutants
N/A		Сотролю	Milliates	Composite				
				-				
	-							
						E 18 92		
	- William - 210-200 - 200 - 200 - 200		W	10 78 NOV. 1007	Variety is a			
Part D - Pro	ovide data for the sto	rm event(s) which resu	ited in the maxim	um values for the flow wei	ghted co	mposite s		
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rain during storm (in inche	event	4. Number of hours betwee beginning of storm meas and end of previous measurable rain ever	ured	ra (gallor	5. flow rate during in event or cify units)	6. Total flow from rain event (gallons or specify units)
N/A								
							- 3	
					1			
7. Provide a	description of the me	ethod of flow measurem	nent or estimate.					
Acreage is	converted to sq	uare feet then mu	ltiplied by t	he daily rainfall i	n feet	. Cubi	c feet then co	onverted to MGD.

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)	Maximum Values (include units)			erage Values nclude units)	Number	
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	see attachment	N/A				
Biological Oxygen Demand (BOD5)	see attachment					
Chemical Oxygen Demand (COD)	see attachment					***
Total Suspended Solids (TSS)	see attachment					
Total Nitrogen	see attachment					
Total Phosphorus	see attachment					
pH	Minimum	Maximum	Minimum	Maximum		

	(inclue	ım Values de units)	Avera (incl	age Values iude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
I/A						
						TENNES OF THE STATE OF THE STAT
			1			
			1			
			1			
			-			
			1			
					-	
					+ + + + + + + + + + + + + + + + + + + +	
				Re-		



Part C - List req	t each pollutant show uirements. Complete	vn in Table 2F-2, 2F-3, e one table for each out	, and 2F-4 that your trail.	u know or have reason to	believ	e is presen	t. See the instructi	ons for additional details and
Pollutant and CAS Number (if available)	Maximum Values (include units)		Average Values (include units)		N	umber		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite] : E	of Storm Events ampled	Sources of Pollutants	
N/A								
								200
					1			
					1			
		AD-			1			ALM CONTRACTOR OF THE CONTRACT
					1			
						-		
					1			
					100			
					1			
					ł			
					1			
					<u> </u>			<u> </u>
					1			
Part D - Pro	ovide data for the sto	orm event(s) which resu	alted in the maxim	um values for the flow we	ighted	composite s		
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rair during storm (in inche	n event	4. Number of hours between beginning of storm measurable rain eve	sured	ra (galloi	flow rate during in event ins/minute or cify units)	6. Total flow from rain event (gallons or specify units)
N/A								
7. Provide a	description of the me	ethod of flow measuren	nent or estimate.					
Acreage is	converted to sq	uare feet then mu	ltiplied by t	he daily rainfall i	n fee	et. Cubi	c feet then co	onverted to MGD.

FORM 2F ATTACHMENT SECTION VII, PART A

HSC SOLAR 4 GREEN TN0080845 MODIFICATION

In order to estimate the maximum values of the pollutants typically associated with agricultural land uses, research was conducted and summarized in Table VII-A below.

Table VII-A, Event Mean Concentration-summary of research

Pollutant	Concentration (mg/L)						
	1	2	3	4	5		
BOD, 5-Day		18.3		3.8	4		
COD			40				
Nitrate + Nitrite Nitrogen	2.0	0.803	0.543	2.32	1.56		
Oil and Grease	3.5	0.5e					
pH		5.0-9.0					
Total Phosphorus (as P)	0.30	2.349	0.121	0.344	0.36		
Total Suspended Solids (TSS)	80	12.7	70	55.3			

- 1. Maryland Department of Environment, BMP Manual.
- Developing nonpoint source water quality levels of service for Hillsborough County, Florida, Robert G. McConnell, Elie, G. Araj, David T. Jones, 1999.
- 3. Stormwater Chemistry and Water Quality, Harvey H. Harper, Ph.D., P.E.
- Summary of Literature-Based Runoff Concentrations, EPA, Final Report of Urban Runoff Program, Final Draft, Vol. 1. WH-554, Water Planning Division, December 1983.
- 5. A GIS Based Nonpoint Pollution Simulation Model, Benaman, J., 1996
- e. Below Detection Limit (BDL).

The values from Table VII-A are represented in Table VII-B and Table VII-C as proposed maximum and proposed average values respectfully, for all outfalls.

Table VII-B, Proposed Maximum Values

Parameter	Concentration (mg/L)
BOD, 5-Day	18.3
COD	40
Nitrate + Nitrite Nitrogen	2.32
Oil and Grease	3.5
pH	5.0-9.0
Total Phosphorus (as P)	2.349
Total Suspended Solids (TSS)	80

Grab Sample Taken During First 20 Minutes of Discharge

Source of Pollutants = Storm Water Runoff

Number of Storm Events Sampled = 1, Total rainfall greater than 0.50 inches and dry for previous 3 days.

Table VII-C, Proposed Average Values

Parameter	Concentration (mg/L)
BOD, 5-Day	10
COD	40
Nitrate + Nitrite Nitrogen	1.45
Oil and Grease	3.5
pH	5.0-9.0
Total Phosphorus (as P)	0.70
Total Suspended Solids (TSS)	55

Flow-Weighted Composite taken every 4 hours during the course of discharge Source of Pollutants = Storm Water Runoff

Number of Storin Events Sampled = 1, Total rainfall greater than 0.50 inches and dry for previous 3 days.

Stormwater benchmark concentrations for TSS from construction sites usually range from 100 to 250 mg/L.

Schedule of estimated flows from temporary sediment basins based on 10 year storm:

Drainage Area / Temp. Sed. Basin	Inflow (cfs)	Outflow (cfs)	Outfall#
SW11	55.02	4.69	SW11
SW12	330.22	8.04	SW12
SW13	226.39	100.51	SW13
SW14	195.95	34.95	SW14

SW12, SW13, AND SW14 basins referenced in the above table will be temporary sediment basins as the contractor re-grades the site and transitions the storm water flow away from basin SW11. SW11 will ultimately be abandoned, filled, or removed as the contractor grades the site to proposed final contours. As the contractor performs site grading, he will simultaneously divert storm water from basin SW11 to SW13 in a sequential fashion. At project completion, when all grading is complete and the site is restored, all storm water will drain to SW12, SW13, or SW14. At this time, the forebay's will be cleaned out and they will become permanent storm water management basins.

Estimating Soil Loss by Water Erosion

The following calculation estimates the amount of soil loss for a pre-development condition, over the same time period as the anticipated grading operations.

A = R K LS C P, where:

A = annual average soil loss in tons per acre per year

R = rainfall-runoff erosivity factor (227)

K = soil erodibility factor, 0.32, silt loam soils

LS = length slope factor, 1.91

C = cover-management factor, 0.01, no till, 50% cover

P = support practice factor, 0.91, Code 4, 2-3" ridges, HSG C

A=227*0.32*1.91*0.01*0.91 = 1.263 ton per acre per year.

Total of Drainage Area A1 through A14 = 470.00 Acres.

Total estimated soil loss per year = 470.00 ac * 1.263 ton per ac = 593.61 ton per year.

Grading operation expected to occur over nine month period = $\frac{3}{4}$ of a year.

Total estimated soil loss during nine month period (Drainage Area A1 - A14) = 593.61 * 0.75 = 445.21 tons